#### Poche, Lauren

From: Clark, Courtney

Sent: Tuesday, October 14, 2014 2:31 PM

To: DEP NJHPO

**Cc:** Poche, Lauren; Crowl, Heather; Lackowicz, Rob

**Subject:** DEP Form 2, SBL39430, 70-86 Hobart Street, Bayonne

**Attachments:** SBL39430\_FORM2.pdf

Good afternoon,

Attached for your review please find a Form – 2: Assessment of Effects SBL39430, 70-86 Hobart Street, Bayonne.

Please forward any questions you may have to me at courtney.clark@urs.com. We look forward to your response.

Thank you,

Courtney Clark
Architectural Historian



Tel: 610.832.3500 Direct: 610.832.2792 courtney.clark@urs.com

#### Please note new address and phone number

This e-mail and any attachments contain URS Corporation confidential information that may be proprietary or privileged. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information and you should destroy the e-mail and any attachments or copies.



## New Jersey Department of Environmental Protection Hurricane Sandy

# **Community Development Block Grant Form – 2 : Assessment of Effects (Version 1.0)**



7	HPO USE ONLY
1	
RIC ATION	

Application ID #	SBL39430	SBL39430								
Applicant Name:	DC Plastic	Products I	LC							
Street Address:	70-86 Hob	art Street								
Municipality:	Bayonne C	ity (Bayon	ne)	County:	Hı	Hudson				
PAMS PIN:	0901_359_	0901_359_10				6.821				
Latitude:	40.648905	40.64890526			-74	-74.12340544				
TT 1 ( 1 )					_					
Undertaking:	Rehabilita		Interior	Exterior	Bo				Elevation	
	Reconstru	ction:	$ extstyle oxedsymbol{oxed}$ Within Exis	sting Footprint, p	lus 2	feet		Outsi	de Existing I	Footprint
Property Description:	south (front and construction, UR building's form, Princeton.edu). To constructed betwoof the third (east 1979 (Historic Adappear to be covide (west) eleva second-story wind first-story windo and are expresse north (rear) and corrugated metal criterion C.  The project has I	rear) elevatices estimates and the structure een 1931 and center) bay, crials.com. The ered with a tate of the end of the	ons, with varied ethe date of constructed style, and on an is expressed as the day of the day of the structure feat ar or asphaltic rotational industrial west elevation at main and are iron ided by flat brick evations are cladors. URS assessed to affect archaeo	elevations and rooflicuction to be late in analysis of aerial hree original factory. Aerials.com). Include the concrete masonry tures four low-pitch of coating and the eapplication of a flat and fenestration on the framed 3x3 lights. These elevation corrugated mees this building to be	nes. A the fir photogy bays bed with units ed gabast add wall a me rem The sevation tal. The e eligi	Although as quarte graphy as an oriente the east and too bled roo dition is and larguainder as outh (from feature). The feature he north tible for the project s	n neither er of the and Sanied north astern a othed br fs (orien coverence-scale of the st ont) and re a terr and souther Nation	r the I e twen born I -south dditio ick pi nted n d with winde tructur d west a cott uth ele onal I	DCA nor the ta ttieth century b Maps (Historic n, with a fourth n was a single- lasters, and ex- orth-south). The an asphalt rol ows for maxim re are covered t (side) elevation a tile wall copi- evations featur Register of His	n (east) bay addition being story northern extension tended between 1966 and he west and center bays Il roofing material. The num light penetration. The by corrugated metal. The ons are clad with brick ing along the parapet. The re loading docks with toric Places under
~	a									
<b>Current Property</b>	Status									
Current Property  National Historic L						Y	es 🔀	No		
	andmark?	s Listed?				_	es 🔀	No No		
National Historic L National Register o	andmark? f Historic Place		Historic Distri	ict?		Y	=	=		
National Historic L	andmark? f Historic Place		Historic Distr	ict?		Y	es 🔀	No No		Contributing
National Historic L National Register o Within a National I	andmark? f Historic Place Register of Historic	oric Places		ict?		☐ Y (	es 🔀	No No uting		Contributing
National Historic L National Register o Within a National I Does the property h	andmark?  f Historic Place Register of Historic	oric Places		ict?		☐ Y (	es es ontribu	No No uting No		Contributing
National Historic L National Register o Within a National I  Does the property I Within a Known A	andmark?  f Historic Place Register of Historic nave a SHPO Orchaeological S	oric Places pinion or C	COE?		Hiet	☐ Y (	es es ontribu	No No Iting No No		Contributing
National Historic L National Register o Within a National I Does the property h	andmark?  f Historic Place Register of Historic nave a SHPO Orchaeological S	oric Places pinion or C	tivity?	Area of Previous	l with Well	Your Oon HPe	es Sointribu	No Iting No No No ion chae	Non-Coological Site	e Sensitivity Grid 500 feet of
National Historic L National Register o Within a National I  Does the property I Within a Known A	andmark?  If Historic Place Register of Historic  Register of Hist	pinion or C ite? gical Sensi	tivity?	Area of Previous Property Located Area Located on	l with Well	Your Oon HPe	es Sointribu	No Iting No No No ion chae	Non-Coological Site	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National I  Does the property I Within a Known A Within an Area of I  Preliminary Property	andmark?  If Historic Place Register of Historic  Register of Hist	pinion or Contest	tivity?	Area of Previous Property Located Area Located on waterways, wetl:	Well	Your Coric Ochin HPO	es Sointribu	No Iting No No No ion chae	Non-Coological Site	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National I  Does the property I Within a Known A Within an Area of I  Preliminary Property  Further Survey	andmark?  If Historic Place Register of Historic Place Register of Historic Place Register of Historic Register of	pinion or Contest	tivity?	Area of Previous Property Located Area Located on	Well	Your Coric Ochin HPO	es Sointribu	No Iting No No No ion chae	Non-Coological Site	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National I  Does the property I Within a Known A Within an Area of I  Preliminary Property No Further Survey	andmark?  If Historic Place Register of Historic Place Register of Historic Rave a SHPO Orchaeological S High Archaeological S  In the Extra Evaluation Recessary: Vey Necessary	pinion or Conte? gical Sensi	tivity?	Area of Previous Property Located Area Located on waterways, wetl:  Historic Ar	Well with Well and c	Yoric Oonin HPO	es Sointribu	No Iting No No No ion chae	Non-Coological Site	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National I  Does the property I Within a Known A Within an Area of I  Preliminary Property  Further Survey	andmark?  If Historic Place Register of Historic Place Register of Historic Rave a SHPO Orchaeological S High Archaeological S  In the Extra Evaluation Recessary: Vey Necessary	pinion or Cotte? gical Sensi	tivity?	Area of Previous Property Located Area Located on waterways, wetle	Well with Well and control	Your Coric Oonin HPO	es ontribues Scupate O's Araed Soixes, or	No No No No No No rechae	Non-Coological Site cated within t glacial feat	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National I  Does the property I Within a Known A Within an Area of I  Preliminary Property Further Survey No Further Survey Recommend E	andmark?  If Historic Place Register of Historic Place Register of Historic Place Register of Historic Register of	pinion or Conte? gical Sension  Arcl  Criteria: ut of this apping of which cter of a resident	tivity?  thaeological  chaeological  chaeological  chaeological  chaeological  the north and soutlential streetscape	Area of Previous Property Located Area Located on waterways, wetle  Historic Ar  Contributir hat Apply JRS assesses this built elevations are indic. The property retain	with Well and control of the control	Your Coric Oo nin HPO I-Drain complex	es sontribu eligible berate de flocatio	No No No No relic	Non-Coological Site cated within t glacial feat	e Sensitivity Grid 500 feet of
National Historic L National Register of Within a National H  Does the property h Within a Known A Within an Area of h  Preliminary Property Further Survey No Further Survey Recommend E	andmark?  If Historic Place Register of Historic Place Register of Historic Diagram and Place Register of Historic Diagram and Place Register of Historic Diagram and Place Diagram and Place Place Diagram and Di	pinion or Conte? gical Sension  Arcl  Criteria: ut of this apping of which cter of a resident	haeological  vidual  [Check All Tilication process, Uthe north and sout lential streetscape attegrity due to the	Area of Previous Property Located Area Located on waterways, wetle  Historic Ar  Contributir hat Apply JRS assesses this built elevations are indic. The property retain	with Well and control of the control	Your Coric Oo nin HPo I-Drain complex	es sontribu es sontribu es sontribu es sontribu es sontribu ccupat ccupat o's Ar and Soi exes, or eligible berate de f location s with co	No No No No relic	Non-Coological Sites cated within the glacial feat to glacial feat to evoke ting, feeling, and the metal, and the	e Sensitivity Grid 500 feet of tures.  ion C, as it is an industrial the materials, massing, and d association; however it



# New Jersey Department of Environmental Protection Hurricane Sandy

# Community Development Block Grant Form – 2: Assessment of Effects (Version 1.0)



N/A (cleared under Tier I PA allowance)

<b>T</b>	HPO USE ONLY
I C ION C E	

	(north) elevation with corrugated metal. The proposed boundary for the property is the legal parcel. The b retains the distinctive design that would merit listing on the NRHP. There is no master architect or builder structure; therefore, it is not significant as the work of a master.	
Recommend Ineligible		
	Not 48 Years of Age	
	Not Within / In View of a National Register of Historic Places Listed / Eligible F	Historic District
	Not a Building (per FEMA Definition)	
	Other – Lacks Distinctive Characteristics That Make It Individually Eligible for	Listing on NRHP
Applicant ID #	SBL39430	
Property Address:	70-86 Hobart Street, Bayonne, NJ	
Assessment of Effects	No Historic Properties Adversely Affected	
	No Historic Properties Adversely Affected, provided the following conditions are me	ıt:
	Adverse Effect The proposed recladding of the structure with corrugated metal building panels will	have an Adverse
	Effect on the character of the structure, as well as the surrounding neighborhood, du quantities of original brick material along the front (south) and side (west, Hobart A	
	Replacement of the roof masonry caps will result in the loss of the existing terra co	tta coping along the
	front and side elevation parapets. Replacement of both of these elements will result of materials, design, and workmanship associated with the structure.	in a loss of integrity
National Historic Landr	mark Consultation Process [If Applicable]	
Undertaking Located Wit	thin NHL: National Park Service	
Applying Allowances As	Defined in Programmatic Agreement: National Park Service State Historic Pr	eservation Office
	Tier I:	
	Tier II:	
Adverse Effect: N	ational Park Service State Historic Preservation Office Advisory Council on Hist	oric Preservation
Resolution of Adverse E	Abbreviated Consultation Process Treatment Measure: Means to resolve the Consultation Process Treatment Measure:	ne Adverse Effect will
	be negotiated betw	een the New Jersey O offices prior to the
		funded or proceeding
	to construction.	
<b>Public Consultation</b>		
	zed Tribes, Certified Local Governments, Historic Preservation Commissions, etc:	
Public consultation men measures.	embers and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of consultation will be decided by New Jersey DCA, DEP and HPO as part of Adverse Effective and the means of the mean	ect resolution
measures.		
	HISTORIC PRESERVATION OFFICE USE ONLY	
☐ I concur with this fin	nding,	
☐ I do not concur with	this finding for the following reason(s):	
Daniel D. Saunders		Date
Deputy State Historic Pre	eservation Officer	

Archaeology Reviewer

Architecture Reviewer | Lorin Farris, MA (URS)






Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ








Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ







Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ







Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ

Date:	10/8/2014
Direction:	North
<b>Description:</b>	
Front; South	elevation



Date:	10/8/2014	
Direction:	South	1
<b>Description:</b>		
Rear; North		





Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ

Date:	10/8/2014	
Direction:	South, North	
<b>Description:</b>		
Side; west ele		STOR

Date:	10/8/2014	
Direction:	East	
<b>Description:</b>		
West elevatio		
		Thinning to the second





Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ

Date:	10/8/2014
Direction:	South
<b>Description:</b>	
Side; east elevation	



Date:	10/8/2014
Direction:	North
Description:	
Street view	_







Applicant ID #	SBL39430
<b>Property Address:</b>	70-86 Hobart Street, Bayonne, NJ

Date:	2012		-989
Direction:	North		
<b>Description:</b>			
Bing bird's e			
			1
			100
			4
		and the second of the second o	
			13-
			A STATE OF
		Millian Co. D. C.	

Date:	2012
Direction:	East
Description	

Bing bird's eye view



Property Detail Page 1 of 1


New Search HOBART AVE.- E4TH-2ND Owner: Block: 359 Prop Loc: SUPERIOR-MPM LLC, Square Ft: 0 District: 0901 BAYONNE Year Built: Lot: 10 Street: 86 HOBART AVE Class: City State: BAYONNE, NJ 07002 Qual: 4B Style: Additional Information Prior Block: 540 Acct Num: 52261005 EPL Code: 0 0 0 Addl Lots: Mtg Acct: Land Desc: 3.39 ACRES Statute: Prior Lot: 52.B Prior Qual: Bank Code: 0 Bldg Desc: 1S-B-IND Initial: 000000 Further: 000000 04/18/13 Tax Codes: H84 Updated: Class4Cd: 0 Desc: Zone: Map Page: Acreage: 3.39 Taxes: 54348.50 / 0.00 Sale Information Sale Date: 03/12/07 Book: 8167 Page: 297 1 NU#: 25 Price: Sr1a Date Book Page Price NU# Ratio Grantee TAX-LIST-HISTORY  ${\it Year \ Owner \ Information \ Land/Imp/Tot \ Exemption \ Assessed \ {\it \frac{Property}{Olace}}}$ 2014 SUPERIOR-MPM LLC, 700000 730000 4B 86 HOBART AVE 30000 BAYONNE, NJ 07002 730000 2013 SUPERIOR-MPM LLC, 700000 730000 4B 86 HOBART AVE 30000 BAYONNE, NJ 07002 730000 700000 2012 SUPERIOR-MPM LLC, 0 1000000 4B 300000 **86 HOBART AVE** BAYONNE, NJ 07002 1000000 2011 SUPERIOR-MPM LLC, 700000 0 1000000 4B

70 HOBART AVE

BAYONNE, NJ 07002

300000

1000000



2001 Company Project Management Proposal

May 22, 2014

Mr. David Moskovits DC Plastic 70 Hobart Avenue Bayonne, NJ 07002

Dear David,

2001 Company proposes to project manage the following work:

#### RESIDING OF BUILDING WITH CORRUGATED METAL BUILDING PANELS WITH PERMANENT COLOR FINISH

Length of building along railroad tracks 440 ft. x 30 ft. = 13,200 sq. ft			\$80,000.00	
Rear Peaked Sections:				
	1.	65 ft. x 37 ft. = 2,405 sq. ft	\$14,430.00	
	2.	54 ft. x 30 ft. = 1,620 sq. ft	\$9,720.00	
	3.	54 ft. x 40 ft. = 2160 sq. ft	\$12,960.00	
	4.	54 ft. x 30 ft. = 1,620 sq. ft	\$9,720.00	
Front Peaked Sections:				
	1.	65 ft. x 37 ft. = 2,405 sq. ft	\$14,430.00	
	2.	54 ft. x 30 ft. = 1,620 sq. ft	\$9,720.00	
	3.	54 ft. x 40 ft. = 2160 sq. ft	\$12,960.00	
	4.	54 ft. x 30 ft. = 1,620 sq. ft	\$9,720.00	
Length of building along Hobart Ave. siding over total building				
	396 f	t. x 30 ft. = 11,880 sq. ft	\$71,280.00	

Mailing Address: P.O. Box 2557, Waterbury, CT 06723-2557 Shipping Address: 325 Thomaston Avenue, Waterbury, CT 06702 Tel: (203) 575-9220 Fax: (203) 573-0781 www.2001Company.com

W:\2001 Project Management Div\Projects\DC Plastics\2014 22 05 RTM Project Management Proposal.docx

#### **TOTAL REPLACEMENT OF HURRICANE DAMAGED ROOF SECTIONS**

Roof area #5 approximately 2,500 sq. ft. (old boiler room)	\$36,450.00
Roof area #6 one story stand alone masonry building, 3,640 sq. ft Note: This cannot be repaired today, left exposed to weather since Hurricane Sal	•
Roof masonry caps and perimeter edges to be rebuilt, 560 linear ft	\$6,720.00
	*H1570

#### WIRE REENFORCED SAFETY GLASS WINDOW REPLACEMENT

Approximately 900 windows at \$250.00 per window, labor and material...... \$225,000.00

GRAND TOTAL \$549,500

#### CONTINUAL HURRICANE DAMAGE NON-REPAIR DAMAGE

Glass from windows and temporary wood panels continues to blow out and damage the existing 2001 Company Wind Vented EPDM roof.

Applicable taxes and permit fees to be added to actual invoice.

#### Attachments:

2001 Company current invoice for ongoing, continuous damage repairs for material and labor to repair damaged roof sections.

Copy of previous roof sections bid for replacement.

Pictures of roof damage and mitigation.

Thomas L. Kelly, President

Mailing Address: P.O. Box 2557, Waterbury, CT 06723-2557

Shipping Address: 325 Thomaston Avenue, Waterbury, CT 06702

Tel: (203) 575-9220 Fax: (203) 573-0781 <u>www.2001Company.com</u>

W:\2001 Project Management Div\Projects\DC Plastics\2014 22 05 RTM Project Management Proposal.docx

R PAFICS SHORKHAVENUE BARONNE NJ. STOPPE HOBART AVENUE NETAL CLADING BUILDING tz,261.25 sk pr(RIGEE) ROFFARGA LOWEST (ROCE) 2 KCTY Brick EditLOTAGE (16) - BLDS DESIGNATION FOR ROOF AREA MASONEX
BUILDING 3 NOTH NITS LESSEND:

\* ROOF AREAS

